


Airpod Pro MagSafe Charger - MagSafe Installation



O O O
ODD ONE OUT


AirPod Pro Dock - MagSafe Installation

Please read through all of the instructions before installing your MagSafe charger into the AirPods Pro Dock.

The MagSafe charger is held in place by four magnets. It can be removed or repositioned when needed.


These instructions show how to remove the cover, position the charger, route its cable, and refit the cover.

-
- 1. Carefully remove the cover to access the inside of the dock. Hold the outer edges and avoid pressing on the thin center section.**
-



AirPod Pro Dock - MagSafe Installation

2. Feed the MagSafe charger's cable through the port at the bottom of the dock.
-




Airpod Pro MagSafe Charger - MagSafe Installation

- 3. The three bean-shaped posts will position the MagSafe charger in the correct location.**

(Fig 1)


The four magnets will hold the MagSafe charger in place.

Fig 1



-
- 4. Ensure the cable of the MagSafe charger is positioned between the bottom two bean-shaped posts.**
- (Fig 2)**

Fig 2



Airpod Pro MagSafe Charger - MagSafe Installation

5. Before proceeding, note that the cover includes a thin wood section that is fragile (Fig 3). With the MagSafe charger now properly installed (Fig 4), carefully replace the cover onto the dock (Fig 5), avoiding that area until the cover is fully seated.




Fig 4




Fig 3




Fig 5